

Luis Barreira and Yakov Pesin

Nonuniform Hyperbolicity: Dynamics of
Systems with Nonzero Lyapunov Exponents

January 27, 2007

Contents

<i>Preface</i>	vii
<i>Introduction</i>	1
<hr/>	
Part I Linear theory	7
1 The concept of nonuniform hyperbolicity	9
1.1 Motivation	10
1.2 Basic setting	13
1.2.1 Exponential splitting and nonuniform hyperbolicity	13
1.2.2 Tempered equivalence	15
1.2.3 The continuous-time case	16
1.3 Lyapunov exponents associated to sequences of matrices	17
1.3.1 Definition of the Lyapunov exponent	17
1.3.2 Forward and backward regularity	19
1.3.3 A criterion of forward regularity for triangular matrices	28
1.3.4 Lyapunov–Perron regularity	35
1.4 Notes	37
2 Lyapunov exponents for linear extensions	39
2.1 Cocycles over dynamical systems	39
2.1.1 Cocycles and linear extensions	39
2.1.2 Cohomology and tempered equivalence	41
2.1.3 Examples and basic constructions	44
2.2 Hyperbolicity of cocycles	46
2.2.1 Hyperbolic cocycles	46
2.2.2 Regular sets of hyperbolic cocycles	49

2.2.3	Cocycles over topological spaces	52
2.3	Lyapunov exponents for cocycles	52
2.4	Spaces of cocycles	57
3	Regularity of cocycles	60
3.1	The Lyapunov–Perron regularity	60
3.2	Lyapunov exponents and basic constructions	65
3.3	Lyapunov exponents and hyperbolicity	67
3.4	The Multiplicative Ergodic Theorem	73
3.4.1	One-dimensional cocycles and Birkhoff’s Ergodic Theorem	73
3.4.2	Oseledets’ proof of the Multiplicative Ergodic Theorem	74
3.4.3	Lyapunov exponents and Sub-Additive Ergodic Theorem	79
3.4.4	Raghunathan’s proof of the Multiplicative Ergodic Theorem	81
3.5	Tempering kernels and the Reduction Theorems	86
3.5.1	Lyapunov inner products	87
3.5.2	The Oseledets–Pesin Reduction Theorem	88
3.5.3	A tempering kernel	92
3.5.4	Zimmer’s amenable reduction	94
3.5.5	The case of noninvertible cocycles	95
3.6	More results on Lyapunov–Perron regularity	96
3.6.1	Higher-rank Abelian actions	96
3.6.2	The case of flows	101
3.6.3	Nonpositively curved spaces	105
3.7	Notes	108
4	Methods for estimating exponents	110
4.1	Cone and Lyapunov function techniques	110
4.1.1	Lyapunov functions	111
4.1.2	A criterion for nonvanishing Lyapunov exponents	114
4.1.3	Invariant cone families	117
4.2	Cocycles with values in the symplectic group	118
4.3	Monotone operators and Lyapunov exponents	122
4.3.1	The algebra of Potapov	123
4.3.2	Lyapunov exponents for \mathcal{J} -separated cocycles	125
4.3.3	The Lyapunov spectrum for conformally Hamiltonian systems	130

4.4	A remark on applications of cone techniques	135
4.5	Notes	136
5	The derivative cocycle	137
5.1	Smooth dynamical systems and the derivative cocycle	137
5.2	Nonuniformly hyperbolic diffeomorphisms	138
5.3	Hölder continuity of invariant distributions	141
5.4	Lyapunov exponent and regularity of the derivative cocycle	145
5.5	On the notion of dynamical systems with nonzero exponents	150
5.6	Regular neighborhoods	151
5.7	Cocycles over smooth flows	154
5.8	Semicontinuity of Lyapunov exponents	156
<hr/> Part II Examples and foundations of the nonlinear theory		159
6	Examples of systems with hyperbolic behavior	161
6.1	Uniformly hyperbolic sets	161
6.1.1	Hyperbolic sets for maps	162
6.1.2	Hyperbolic sets for flows	166
6.1.3	Linear horseshoes	167
6.1.4	Nonlinear horseshoes	170
6.2	Nonuniformly hyperbolic perturbations of horseshoes	176
6.2.1	Slow expansion near a fixed point	177
6.2.2	Further modifications	179
6.3	Diffeomorphisms with nonzero exponents on surfaces	184
6.3.1	Nonuniformly hyperbolic diffeomorphisms of the torus	184
6.3.2	Nonuniformly hyperbolic diffeomorphisms of the sphere	189
6.3.3	Nonuniformly hyperbolic diffeomorphisms on compact surfaces	190
6.3.4	Analytic diffeomorphisms	193
6.4	Pseudo-Anosov maps	194
6.4.1	Definitions and basic properties	195
6.4.2	Smooth models of pseudo-Anosov maps	199
6.5	Nonuniformly hyperbolic flows	211
6.6	Some other examples	215
6.7	Notes	218

7	Stable manifold theory	219
7.1	The Stable Manifold Theorem	219
7.2	Nonuniformly hyperbolic sequences of diffeomorphisms	222
7.3	The Hadamard–Perron Theorem: Hadamard’s method	224
7.3.1	Invariant cone families	225
7.3.2	Admissible manifolds	229
7.3.3	Existence of (s, γ) - and (u, γ) -manifolds	233
7.3.4	Invariant families of local manifolds	236
7.3.5	Higher differentiability of invariant manifolds	239
7.4	The Graph Transform Property	240
7.5	The Hadamard–Perron Theorem: Perron’s method	241
7.5.1	An Abstract Version of the Stable Manifold Theorem	241
7.5.2	Smoothness of local manifolds	251
7.6	Local unstable manifolds	257
7.7	The Stable Manifold Theorem for flows	257
7.8	C^1 pathological behavior: Pugh’s example	258
7.9	Notes	262
8	Basic properties of stable and unstable manifolds	264
8.1	Characterization and sizes of local stable manifolds	264
8.2	Global stable and unstable manifolds	267
8.3	Foliations with smooth leaves	270
8.4	Filtrations of intermediate local and global manifolds	271
8.5	The Lipschitz property of intermediate foliations	275
8.6	The absolute continuity property	281
8.6.1	Absolute continuity of holonomy maps	283
8.6.2	Absolute continuity of local stable manifolds	293
8.6.3	Foliation that is not absolutely continuous	297
8.6.4	The Jacobian of the holonomy map	298
8.7	Notes	300
<hr/> Part III Ergodic theory of smooth and SRB measures		301
9	Smooth measures	303
9.1	Ergodic components	304
9.2	Local ergodicity	309
9.3	The s - and u -measures	328
9.4	The leaf-subordinated partition. The K -property	332
9.5	The Bernoulli property	337

	9.6 The continuous-time case	346
	9.7 Notes	353
10	Measure-Theoretic Entropy and Lyapunov exponents	355
	10.1 Entropy of measurable transformations	355
	10.2 The Margulis–Ruelle inequality	356
	10.3 The topological entropy and Lyapunov exponents	360
	10.4 The entropy formula	364
	10.5 Mañé’s proof of the entropy formula	368
	10.6 Notes	379
11	Stable ergodicity and Lyapunov exponents	380
	11.1 Uniform partial hyperbolicity and stable ergodicity	380
	11.2 Partially hyperbolic systems with nonzero exponents	384
	11.3 Diffeomorphisms with countably many ergodic components	393
	11.4 Existence of hyperbolic diffeomorphisms on manifolds	406
	11.5 Existence of hyperbolic flows on manifolds	431
	11.6 Foliations that are not absolutely continuous	441
	11.7 Open sets of diffeomorphisms with nonzero exponents	446
	11.8 Notes	447
12	Geodesic flows	449
	12.1 Hyperbolicity of geodesic flows	449
	12.2 Ergodic properties of geodesic flows	459
	12.3 Entropy of geodesic flows	471
	12.4 Topological properties of geodesic flows	475
	12.5 The Teichmüller geodesic flow	478
	12.6 Notes	485
13	SRB measures	487
	13.1 Definition and ergodic properties of SRB measures	487
	13.2 The characterization of SRB measures	491
	13.3 Constructions of SRB measures	494
	13.4 Notes	502
<hr/> Part IV General hyperbolic measures		<hr/> 503
14	Hyperbolic measures: entropy and dimension	505
	14.1 A general formula for the entropy. Pointwise dimension	505
	14.1.1 Local entropies	506
	14.1.2 Leaf pointwise dimensions	511

14.1.3	The Ledrappier–Young entropy formula	524
14.2	Local product structure of hyperbolic measures	525
14.3	Applications to dimension theory	538
14.4	Notes	538
15	Hyperbolic measures: topological properties	540
15.1	Closing lemma	540
15.2	Shadowing lemma	550
15.3	The Livshitz theorem	552
15.4	Hyperbolic periodic orbits	553
15.5	Topological transitivity and spectral decomposition	562
15.6	Entropy, horseshoes, and periodic points	562
15.7	Continuity properties of entropy	566
	<i>Bibliography</i>	573
	<i>Index</i>	583

Preface

Writing this book was a long-term project that has taken several years and at the early stages Anatole Katok's participation was crucial. He provided us with the text of his unpublished notes with Leonardo Mendoza that served as the basis for the first draft of Chapters 1–5 and parts of Chapters 6–7 of the book. He also fully participated in designing the content of the book in its present form.

In this book we present a self-contained and sufficiently complete description of the modern nonuniform hyperbolicity theory, i.e., the theory of dynamical systems whose Lyapunov exponents are not zero. The reader will find all the core results of the theory as well as a good account of its recent developments.

The nonuniform hyperbolicity theory is rich in wonderful ideas and sophisticated techniques, which are widely used in many areas of dynamical systems as well as other areas of mathematics and beyond. The nonuniform hyperbolicity theory is very popular and finds a lot of applications outside mathematics—in physics, biology, engineering, etc.

Despite (or should we say because of) a tremendous amount of research on the subject there have been relatively few attempts to summarize and unify the results of the theory in a single manuscript or a survey; see the books [179, 109], the surveys [175, 173, 18], and the lectures [19, 28]. This book is meant to cover this gap. It can be used as a reference book for the theory or as a supporting material for an advanced course on dynamical systems. During the long course of working on this book we first produced its baby-version [20] where we described the core results of the theory and some principal examples, and then we wrote the survey [21] where we presented the contemporary status of the theory.

Since the beginning of the 1970's, the nonuniform hyperbolicity theory has emerged as an independent discipline lying in the heart of the modern theory of dynamical systems. It studies both conservative (volume-preserving) and dissipative systems, deterministic as well as random dynamical systems, discrete and continuous-time systems, in addition to cocycles and group actions. The results of this theory have found their way in geometry (e.g., in the study of geodesic flows and Teichmüller flows), in rigidity theory, in the study of some partial differential equations (e.g., the Schrödinger equation and some reaction-diffusion equations), and in the theory of "chaotic" billiards.

Writing a book of such a scope can be deemed as a daunting task and we therefore had to select topics so that personal taste, clearly biased toward our own interests, entered in our choices. As a result, some interesting topics are barely mentioned or not covered at all. In particular, we do not consider random dynamical systems referring the reader to the books [9, 111, 128] and the survey [112] nor dynamical systems with singularities (see the book [109]), in particular, leaving aside the rich theory of "chaotic" billiards. We restrict ourselves to the case of invertible dynamical systems and thus the theory of nonuniformly expanding maps is not discussed here (see the survey [131]) nor do we include one-dimensional "chaotic" maps (e.g., the logistic family, see [93]). We touch upon some recent results on Hénon-like attractors related to the study of Sinai–Ruelle–Bowen measures but we do not go deep into the theory of these attractors (see the survey [133]). We mention some results on hyperbolic group actions and refer the reader to [71] for a more complete account.

All the principal results of the nonuniform hyperbolicity theory are presented in the book with complete proofs although some other results are included without proofs for the sake of completeness.

Most chapters of the book end with notes where the reader can find some remarks of historical and bibliographical nature, comments on some related results and references for further reading. In no way these notes are meant to present a significant account of the history of the subject or a sufficiently complete list of references.

Acknowledgments. While working on the book several people helped us in various ways and it is our great pleasure to acknowledge their contributions.

As we mentioned above it is impossible to overestimate the contri-

bution of Anatole Katok whom we would like to heartily thank for his constant support and guidance.

We would like also to thank Marlies Gerber for providing us with the text of Section 6.4.2 and Theorem 9.2.8 and for some useful remarks.

It is our pleasure to thank Anton Zorich for useful comments on Section 12.5.

We are grateful to Claudia Valls who carefully read several chapters of the book and made many remarks that helped us clarify the presentation.

When the first draft of the book was ready, we sent it to several experts in the field asking for their opinions and comments. We are grateful to Dima Dolgopyat, François Ledrappier, Mark Pollicott and Federico Rodríguez Hertz for innumerable constructive suggestions that helped us improve the content and presentation of some results of the book as well as extend and enhance the bibliography.

Our special thanks go to Boris Hasselblatt who thoroughly examined the draft and pointed out many places in the book that needed additional work. Reflecting on his comments we introduced many changes improving the style and exposition of the material; we also added more informal discussions, hopefully making the book more reader-friendly.

January 2007

Luis Barreira, Lisboa

Yakov Pesin, State College