

Generalized negative translations and interpolation

João Rasga

SQIG - Instituto de Telecomunicações and DM, IST, TU Lisbon, Portugal

Abstract

A general technique generalizing negative translations is presented for proving interpolation for a deductive system. Negative translations are used as an illustration of the technique. This talk reports on joint work with Walter Carnielli and Cristina Sernadas.

References

- [1] J. Avigad. A variant of the double negation translation. Technical Report CMU-PHIL 179, Carnegie Mellon, 2006.
- [2] G. Gentzen. Über das Verhältnis zwischen intuitionistischer und klassischer Arithmetik. *Archiv für Mathematische Logik und Grundlagenforschung*, 16:119–132, 1974.
- [3] V. Glivenko. Sur quelques points de la logique de m. brouwer. *Academie Royale de Belgique, Bulletins de la Classe des Sciences*, 15(5):183–188, 1929.
- [4] K. Gödel. *Collected works. Vol. II*. The Clarendon Press Oxford University Press, New York, 1990.
- [5] J. Hyland. Proof theory in the abstract. *Annals of Pure and Applied Logic*, 114(1-3):43–78, 2002.
- [6] H. Ishihara. A note on the Gödel-Gentzen translation. *Mathematical Logic Quarterly*, 46(1):135–137, 2000.
- [7] S. Kuroda. Intuitionistische Untersuchungen der formalistischen Logik. *Nagoya Mathematical Journal*, 2:35–47, 1951.
- [8] T. Streicher and U. Kohlenbach. Shoenfield is Gödel after Krivine. *Mathematical Logic Quarterly*, 53(2):176–179, 2007.
- [9] J. van Heijenoort, editor. *From Frege to Gödel*. Harvard University Press, Cambridge, MA, 2002.