

COMBINATÓRIA E TEORIA DE CÓDIGOS

Homework 1 (deadline 1/3/2013, in class)

- How many integer solutions to $x_1 + x_2 + x_3 + x_4 = 21$ are there if:
 - $x_i \geq 0$, $i = 1, 2, 3, 4$;
 - $0 \leq x_i \leq 8$, $i = 1, 2, 3, 4$;
 - $0 \leq x_1 \leq 5$, $0 \leq x_2 \leq 6$, $3 \leq x_3 \leq 8$, $4 \leq x_4 \leq 9$.
- Determine the number of monic polynomials of degree n in $\mathbb{F}_q[t]$ without roots in \mathbb{F}_q , where \mathbb{F}_q is a field with q elements.
- Using generating functions, solve the following recurrence relation: $a_n = 2a_{n-2}$, for $n \geq 2$, and $a_0 = 1$, $a_1 = 2$.
- An *order k homogeneous recurrence relation with constant coefficients* is of the form

$$c_0 a_n + c_1 a_{n-1} + c_2 a_{n-2} + \cdots + c_k a_{n-k} = 0 \quad (n \geq k),$$

where $c_0, c_1, \dots, c_k \in \mathbb{R}$ are constants, and $c_0 \neq 0$. The *characteristic polynomial* of the recurrence relation is defined by

$$p(x) = c_0 x^k + c_1 x^{k-1} + \cdots + c_{k-1} x + c_k \in \mathbb{R}[x],$$

and its roots are called *characteristic roots*.

- Show that the general solution of a first order recurrence relation is $a_n = a_0 r^n$, $n \geq 0$, where $r = -\frac{c_1}{c_0}$, i.e., r is the root of the associated characteristic polynomial.
- Study the homogeneous quadratic (of second order) case by proving the following statements:
 - If the characteristic roots r_1 and r_2 are real and distinct, then the general solution is

$$a_n = A(r_1)^n + B(r_2)^n,$$

where $A, B \in \mathbb{R}$ are constants, i.e., $(r_1)^n$ e $(r_2)^n$ are two linearly independent solutions.

- If there is only one characteristic root $r \in \mathbb{R}$ (of multiplicity 2), then the general solution is

$$a_n = Ar^n + Bnr^n,$$

where $A, B \in \mathbb{R}$ are constants.

- If there are two complex roots $r_1, r_2 \in \mathbb{C}$, then r_1 and r_2 are complex conjugates and the general solution is

$$a_n = A(r_1)^n + B(r_2)^n,$$

where $A, B \in \mathbb{C}$ are constants (as in the real case). Show also that, if $a_0, a_1 \in \mathbb{R}$, then A and B are complex conjugates and $a_n \in \mathbb{R}$, for all $n \geq 0$.

[Suggestion: recall that any $z \in \mathbb{C} \setminus \{0\}$ can be written as $z = \rho(\cos(\theta) + i \operatorname{sen}(\theta))$ and $(\cos(\theta) + i \operatorname{sen}(\theta))^n = \cos(n\theta) + i \operatorname{sen}(n\theta)$.]

(c) Generalize part (b) for relations of order k :

(i) Show that, if $r \in \mathbb{R}$ is a characteristic root with multiplicity m , then it contributes with

$$a_n^{(r)} = A_0 r^n + A_1 n r^n + A_2 n^2 r^n + \dots + A_{m-1} n^{m-1} r^n,$$

for the general solution, where $A_0, A_1, \dots, A_{m-1} \in \mathbb{R}$ are constants.

(ii) If $r \in \mathbb{C}$ is a complex characteristic root with multiplicity m , what is the contribution of r and of its conjugate \bar{r} to the general solution?

5. Using the previous exercise, solve the following recurrence relations:

- (a) $a_n = 2a_{n-1} + 3a_{n-2}$, $n \geq 2$, and $a_0 = 3$, $a_1 = 5$;
- (b) $4a_n - 4a_{n-1} + a_{n-2} = 0$, $n \geq 2$, and $a_0 = 5$, $a_1 = 4$;
- (c) $a_n - 2a_{n-1} + 2a_{n-2} = 0$, $n \geq 2$, and $a_0 = a_1 = 4$;
- (d) $a_n = a_{n-1} + 5a_{n-2} + 3a_{n-3}$, $n \geq 3$, and $a_0 = a_1 = 3$, $a_2 = 7$.

6. The following binary word

01111000000?001110000?0011001100101011100000000?01110

encodes a date. The encoding method used consisted in writing the date in 6 decimal digits (e.g. 290296 means February 29th, 1996), then converting it to a number in base 2 (e.g. 290296 becomes 100011011011111000), and encoding the binary number using the rule

$$\begin{aligned} \{0, 1\}^2 &\longrightarrow \mathcal{C} \subseteq \{0, 1\}^6 \\ 00 &\longmapsto 000000 \\ 01 &\longmapsto 001110 \\ 10 &\longmapsto 111000 \\ 11 &\longmapsto 110011 \end{aligned}$$

The received word contains 3 unknown digits (which were deleted) and it may also contain some switched digits.

- (a) Find the deleted bits;
- (b) How many, and in which positions, are the wrong bits?
- (c) Which date is it?
- (d) Repeat the problem switching the bits in positions 15 and 16.

7. What is the capacity of a code for correcting erasure errors, and for correcting erasure and symbol errors simultaneously? Prove your statements carefully and illustrate with examples.